

UU770H Series

Pro:Centric Smart Application Platform



Pro:Centric Hotel Management Solution

Pro:Centric SMART is optimized for customizing hospitality services for hotel brands and guests through an IP & RF infrastructure. With its high picture quality, sophisticated design and advanced connectivity functions, it upscales in-room entertainment and increases convenience through implementation of high-end technology.



Pro:Centric Server Application


Wake-up Setting

You can now differentiate your hotel with our customizable templates and pages which can be specialized for your property. Pro:Centric provides a solution that is easily customizable for your business.




Pro:Centric Direct Solution

Pro:Centric Direct is a hotel content management system that supports various solutions such as 1-click service and IP-network-based remote management with simple editing tools. With this solution, users can easily design thier own UI and provide customized service while managing TVs on this platform efficiently.





Weather Information



^{*} Actual UI may be litter different

^{*} Customized UI may be little different.

UU770H Series

Pro:Centric V Hotel Management Solution

Pro:Centric V provides comprehensive solutions in RF infrastructure. Through the Pro:Centric Server and App, hoteliers are able to customize their settings and deliver information on hotel facilities and wake-up call services, weather forecasts and other messages to guests, all while reinforcing the hotel's brand image.

Multi Languages

39 languages including Hebrew, Arabic and Farsi, and language alignment are supported, making your guests' stay a more comfortable one.



Right Alignment (Hebrew, Arabic, Farsi)



Left Alignment (36 languages)

Basic & Easy Templates

Pro:Centric Application (PCA) provides one Basic & Easy Template. making a total of three templates, that customers can select according to their preference.



Welcome image of PCA

Customizable Template & Page

Choose an alternate template based on your preference, and edit multiple sections with 40 pages of billboards by yourself with the webbased editing tool.

(Max 15 pages per / section Available)



Multi Channel Spooling

Operation of up to 8 hotel channels (22 sub-channels) allows you to offer various information and added services.



UU770H Series

Value Added Features




New Quick Menu (2.0)

You can enjoy LG's simple home menu solution. It provides editable welcome message, date/time and other frequently used menus in the form of a menu bar. These can be all set with a remote control or USB, and guests are able to easily access the menus they want.



Voice Recognition

The new Voice Recognition feature enables guests to easily control their LG TV. This Smart Interaction may be manipulated by either the TV control or a server-based control.



Enjoy Full HD content in 4K ULTRA HD quality via the 4K Upscaler. The 4K Upscaler automatically upgrades Full HD content to ULTRA HD through several steps of upscaling processes. Also this LG TV can deliver intense highlights, vivid colors and deep black on the screen through its HDR10 capability.



4 Templates





- * TV native Control
- * Server Based control
- * Magic Motion Remote is required (sold separately)

UU770H Series

Value Added Features



Smart TV by LG WebOS 4.0

This is LG Smart TV with WebOS 4.0. Explore the latest LG Smart TV features, and discover TVs that deliver innovative technology, remarkable clarity, and true-to-life colors.





* Actual In-screen image may be different.



Smart Clock

This app-based clock provides information on current local time and times from around the world in smart way.





* Actual In-screen image may be little different.



Guests may see the Hotel facility or even their own room through 360 VR or Panorama view contents.



* All pictures shown below are for illustration purpose only (for a better understanding). Actual device and screen may differ.

UU770H Series

Hospitality Features



SmartShare

SmartShare allows users to share content more easily and quickly. It also searches for the content in order to share it more easily and accurately, thereby simplifying the process of sharing among various devices.



ScreenShare

Connect a smartphone or a laptop PC to TV via a Wi-Fi Direct connection. The TV will display the device's screen, and guests can share their content and memories together.



Bluetooth Sound Sync

Bluetooth Sound Sync enables users to listen to music playing on a mobile device through TV speakers via Bluetooth connection.







 $[\]star$ Support devices for Bluetooth Sound Sync : Android (above v4.4 KitKat) / iOS based Mobile Device

UU770H Series

Hospitality Features



SoftAP

SoftAP (Software enabled Access Point) is a "Virtual" Wi-Fi feature in which software works on the device to create a wireless hotspot.



LAN out with VLAN (Virtual LAN) ID

Enhance the connectivity experience by overcoming space constraints. This feature enables users to manage a virtual LAN via the LAN out Function to set the ID for each device in the TV menu.



EzManager provides convenient setup for Pro:Centric TV settings automatically without the need for special configuration. Auto-installation requires 1~3 minutes while manual installation requires 3~5 minutes.







- * SoftAP should be set in installation menu after TV is on.
- * Smart Mirroring may not be operated at the same time.

* AUX LAN (LAN out) ID : Set a VLAN ID to be assigned to external devices connected to the LAN out port.

(a AUX LAN is used for assigning a VLAN ID)

* VLAN ID : Create separate Virtual LAN group with ID (tagging).

UU770H Series

Hospitality Features



MPI Protocol

LG Protocal through MPI (RJ12) allows communication between the TV and the system integrator (SI) interface box, eventually giving smart services and content to more Hotel guests.



Instant On

The high speed loading system enables users to enjoy content immediately after turning on the TV.



External Speaker Out

Enhance the entertainment experience by adding an additional speaker. Guests listen to and control the TV audio from anywhere in the community areas, including restrooms.





legacy Set top box.





one Remote controller

^{*} MPI : Multiple Protocol Interface

UU770H Series

Hospitality Features



Multi IR

Multi IR function eliminates the remote control signal interference between TVs in multiple dwelling beds. This system will work using the same LG TV model.




Commercial Swivel Stand*

Expand the rage of comfort for the guests with a commercial grade stand by allowing them to watch a TV from any angle.



Pro:Idiom

Prevent any illegal copying of content with our widely-used DRM (Digital Right Management).








^{*} Applies only to 55" and 49" models.

Dimensions (units: inches, mm)



Connectivity



^{*} Dimensions & Jack Panels (Read/Side) may differ from the above image, so please reach LG salesteam to ensure before order.

Specifica	ations	75UU770H	65UU770H	55UU770H	49UU770H
	Inch	75"	65"	55"	49"
	Backlight Type	LED (Edge)	LED (Edge)	LED (Edge)	LED (Edge)
	Resolution	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)	3,840 x 2,160 (4K UHD)
PANEL	Brightness	400 nits	400 nits	400 nits	400 nits
	Dynamic Contrast Ratio (Dynamic MCI (Hz))	10,000,000:1	10,000,000:1	10,000,000:1	10,000,000:1
	Static (Panel) Contrast Ratio	1400:1	1400:1	1400:1	1400:1
	Viewing Angle (H x V)	178×178	178 x 178	178 x 178	178 x 178
	Response Time (G to G, ms)	5	8	8	8
BROADCASTING	Analog	Yes (NTSC)	Yes (NTSC)	Yes (NTSC)	Yes (NTSC)
SYSTEM	Digital	Yes (ATSC)	Yes (ATSC)	Yes (ATSC)	Yes (ATSC)
STSTEIN	XD Engine	Yes	Yes	Yes	Yes
VIDEO	Picture Mode	Yes 9 Modes (Vivid/Standard/APS/Cinema/Sports/Game/Technicolor Expert /Expert (Bright Room)/Expert (Dark Room))	Yes 9 Modes (Vivid / Standard / APS / Cinema / Sports / Game / HDR Effect / Expert (Bright Room) / Expert (Dark Room))	Yes 9 Modes (Vivid / Standard / APS / Cinema / Sports / Game / HDR Effect / Expert (Bright Room) / Expert (Dark Room))	Yes 9 Modes t(Vivid / Standard / APS / Cinema / Sports / Game / HDR Effer / Expert (Bright Room) / Expert (Dark Room))
	Aspect Ratio	Yes 5 Modes (16:9 / Original / 4:3 / Vertical Zoom / All-Direction Zoom)	Yes 5 Modes (16:9 / Original / 4:3 / Vertical Zoom / All-Direction Zoom)	Yes 5 Modes (16:9 / Original / 4:3 / Vertical Zoom / All-Direction Zoom)	Yes 5 Modes (16:9 / Original / 4:3 / Vertical Zoom / All-Direction Zoom)
	HDR 10 / HDR Dolby Vision	HDR 10 / Dolby Vision	HDR 10	HDR 10	HDR 10
AUDIO	Audio Output	20W + 20W	10W + 10W	10W + 10W	10W + 10W
	Speaker System	2.2 Ch	2.0 Ch	2.0 Ch	2.0 Ch
	Sound Mode	Yes 6 Modes (Standard / Cinema / Clear Voice III/ Sports / Music / Game)	Yes 6 Modes (Standard / Cinema / Clear Voice III / Sports / Music / Game)	Yes 6 Modes (Standard / Cinema / Clear Voice III / Sports / Music / Game)	Yes 6 Modes (Standard / Cinema / Clear Voice III / Sports / Music / Game)
	Clear Voice	Yes (Clear Voice III)	Yes (Clear Voice III)	Yes (Clear Voice III)	Yes (Clear Voice III)
	Dolby Vision Atoms	Yes	-	-	- '
	Adaptive Sound Control	Yes	Yes	Yes	Yes
	One Touch Sound Tuning	Yes	Yes	Yes	Yes
	Audio Channel	-	-	-	-
HOSPITALITY SOLUTION	Solution Type	Pro:Centric (Smart, V, Direct)	Pro:Centric (Smart, V, Direct)	Pro:Centric (Smart, V, Direct)	Pro:Centric (Smart, V, Direct)
	Data Streaming (IP & RF)	Yes	Yes	Yes	Yes
	RF	Yes (2 Tuner)	Yes (2 Tuner)	Yes (2 Tuner)	Yes (2 Tuner)
	HCAP (EM/FLASH/HTML) Service Carousel (TLL/XML)	GEM / Flash / HTML5	GEM / Flash / HTML5	GEM / Flash / HTML5	GEM / Flash / HTML5
	Pro:Centric Application	Yes (PCA3.7.5)	Yes (PCA3.7.5)	Yes (PCA3.7.5)	Yes (PCA3.7.5)
	DRM	Pro:Idiom (S/W Type)	Pro:Idiom (S/W Type)	Pro:Idiom (S/W Type)	Pro:Idiom (S/W Type)
	b-LAN embedded	Yes	Yes	Yes	Yes
SMART FEATURE		webOS 4.0, Commercial Smart Home, DeepThinQ (LG NLP), Voice Recognition, Web Browser, Pre-loaded App, SDP Server Compatibility, Magic Remote Compatibility, Soft AP, WiFi (bandwidth), Screen Share (Miracast), Smart Share (DLNA), DIAL, Bluetooth Audio Playback, LG Sound Sync / Bluetooth, Mobile Connection Overlay, Music Player			
FUNCTION		Hotel Mode, Welcome Screen, Insert Image, One Channel Map, External Speaker Out, Instant On, RJP Interface, RJP Compatibility, Clock (World Clock / Alarm), 360 Viewer, Auto Off / Sleep Timer, Smart Energy Saving, Motion Eye Care, Ezmanager, USB Cloning, b-LAN embedded, BEACON			
JACK INTERFACE	Set Side	HDMI 2.0 In (2), USB 2.0 (1)	HDMI 2.0 In (1), USB 2.0 (2)	HDMI 2.0 In (1), USB 2.0 (2)	HDMI 2.0 In (1), USB 2.0 (2)
	Set Rear	RF In (b-Lan), Digital Audio Out (Optical), RS-232C (Control, Phone jack), RJ45 (1), External Speaker Out, TV link Configuration, MPI Port, Debug	RF In (b-Lan), AV In, Digital Audio Out (Optical), HDMI/HDCP Input, RS-232C (Control), RJ45 (2), External Speaker Out, TV link Configuration, MPI Port, Debug	RF In (b-Lan), AV In, Digital Audio Out (Optical), HDMI/HDCP Input, RS-232C (Control), RJ45 (2), External Speaker Out, TV link Configuration, MPI Port, Debug	RF In (b-Lan), AV In, Digital Audio Out (Optical), HDMI/HDCP Input, RS-232C (Control), RJ45 (2), External Speaker Out, TV link Configuration, MPI Port, Debug
MECHANIC	Vesa	600 x 400 mm	300 x 300 mm	300 x 300 mm	300 x 300 mm
	W x H x D / Weight (with stand)	66.2" x 41.1" x 13.8" / 91.3 lbs 1,681 x 1,044x 350.3 mm / 41.4 kg	57.3" x 36.1" x 12.5" / 57.8 lbs 1,456 x 916 x 318.5 mm / 26.2 kg	48.7" x 30.5" x 11.9" / 42.8 lbs 1,237 x 774 x 303 mm / 19.4 kg	43.4" x 27.5" x 11.9" / 35.9 lbs 1,102 x 698 x 303 mm / 16.3 kg
	W x H x D / Weight (without stand)	66.2" x 38.3" x 1.4" (SPK: 2.6") / 85.5 lbs 1,681 x 973 x 35.1 mm (SPK: 65.2) / 38.8 kg	57.3" x 33.2" x 1.5" (SPK: 2.5") / 54 lbs 1,456 x 844 x 37.2 mm (SPK: 63.9) / 24.5 kg	48.7" x 28.4" x 1.4" (SPK: 2.5") / 35.5 lbs 1,237 x 721 x 36.6 mm (SPK: 63.3) / 16.1 kg	43.4" x 25.4" x 1.4" (SPK: 2.5") / 28.7 lbs 1,102 x 644x 36.6 mm (SPK: 63.3) / 13 kg
	W x H x D / Weight (Packing)	72.4" x 45.9" x 9.1" / 114.6 lbs 1,839 x 1,166 x 231 mm / 52 kg	63" x 40.7" x 7.5" / 74.1 lbs 1,600 x 1,035 x 190 mm / 33.6 kg	53.5" x 33.9" x 7.5" / 53.1lbs 1,360 x 860 x 190 mm / 24.1 kg	51" x 30.3" x 6.7" / 43.2 lbs 1,296 x 770 x 171 mm / 19.6 kg
POWER (UNIT : WATTS)	Voltage, Hz	100 ~ 240V, 50/60Hz	100 ~ 240V, 50/60Hz	100 ~ 240V, 50/60Hz	100 ~ 240V, 50/60Hz
	Max	240 W	203 W	167 W	166 W
	Typical	188 W	177 W	141 W	140 W
	Stand-by	0.5 W↓	0.5 W↓	0.5 W↓	0.5 W↓

^{*} Specifications are subject to change without notice, so please reach LG salesteam to ensure before order.

ttp://www.lg.com/us/business/commercial-display

http://www.twitter.com/LGCommDisplays

1 http://www.facebook.com/LGcommercialdisplays

http://www.linkedin.com/company/lg-commercial-displays-usa
http://www.youtube.com/lgcommercialdisplayusa

LG may make changes to specifications and product descriptions without notice. Copyright © 2018 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. The names of products and brands mentioned here may be the trademarks of their respective owners. SPEC_UU340C_ 071804_PR

